

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/15/2012  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>445387</b>		(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>77 - BUILDING 77</b> B. WING _____		(X3) DATE SURVEY COMPLETED  <b>05/17/2010</b>	
NAME OF PROVIDER OR SUPPLIER  <b>PARKWAY HEALTH &amp; REHAB</b>				STREET ADDRESS, CITY, STATE, ZIP CODE <b>200 SOUTH PARKWAY WEST MEMPHIS, TN 38109</b>			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
K9999	<b>FINAL OBSERVATIONS</b>  During the annual survey completed on 5/17/10, this facility was found to be in compliance with the requirements of the National Fire Protection Association (NFPA) 101, Life Safety Code, 2000 edition, Chapter 19, Existing Health Care Occupancies.			K9999			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.